

SAN RAMON VALLEY UNIFIED SCHOOL DISTRICT

699 OLD ORCHARD DRIVE DANVILLE, CA 94526

NOTICE TO BIDDERS

RFQ # <u>643</u>

Notice is hereby given that the San Ramon Valley Unified School District (hereinafter referred to as "District") in the town of Danville, County of Contra Costa, State of California desires to solicit qualified bids for:

REFRIGERATED TRUCKS FOR WAREHOUSE DELIVERY

Each bid must be sealed, marked with the **RFQ # 643** and titled <u>"REFRIGERATED TRUCKS FOR</u> <u>WAREHOUSE DELIVERY</u>" and <u>returned no later than:</u>

3:00 pm (Pacific Time) and no minutes on TUESDAY, SEPTEMBER 23, 2014,

to the office of Purchasing Director of the San Ramon Valley Unified School District, 3280 Crow Canyon Road, San Ramon, CA 94583. Bids will be publicly opened at that time. The District will not receive bids after the time set for opening thereof. It shall be the full responsibility of all bidders to ensure that bids are delivered to the above office by the time and date stated. It is the sole responsibility of the bidder to assure that the bid is received by the Purchasing Director prior to the bid opening deadline date and time. The District will not be responsible for late deliveries by U.S. mail or any other means. Late bids, unsealed bids, unlabeled bids, incomplete bids, or bids otherwise not in compliance with the General Conditions of this Request for Quotation, will be rejected. By submitting a response, bidder acknowledges and accepts the General Conditions and all terms contained in this RFQ. Faxed bids will not be accepted. All bids shall be on the form provided by the District.

CLARIFICATION DEADLINE

All questions regarding bid preparation, documents, discrepancies, omissions, the selection process, specifications and interpretations of the terms and conditions of the Request for Quotation (RFQ) must be submitted in writing via email to <u>PURCHASING@SRVUSD.NET</u> with subject title: BID CLARIFICATION, no later than THURSDAY, SEPTEMBER 11, 2014 @ 11:00 am (Pacific Time).

Date: August 25, 2014

Jasmine R. Gacusan, CPPO Director of Purchasing, Duplicating and Warehouse

SAN RAMON VALLEY UNIFIED SCHOOL DISTRICT

Purchasing Department

Purchasing@srvusd.net

WWW.SRVUSD.NET

SEALED BID RESPONSE MUST BE SUBMITTED TO THE OFFICE OF: Director of Purchasing <u>3280 Crow Canyon Road, San Ramon, CA 94583</u> in a clearly marked envelope with the RFQ#, Vendor Name & date/time RFQ is due.

REQUEST FOR QUOTATION - This is NOT an order RFQ# 643

INSTRUCTIONS AND CONDITIONS

- 1. Quotations are requested for furnishing the items described below in accordance with terms set forth herein. All quotations must be F.O.B. destination and include all costs of shipping and handling to delivery point.
- 2. Unless specifically noted, substitutes may be offered if they are equal to or exceed the quality of the item(s) described. It shall be to the sole discretion of the School District to determine equality of items offered and suitability for School District use.
- 3. Vendor must include complete manufacturer specifications for any alternates offered and provide a clear and complete description of material or equipment being quoted including trade name, model size, type and catalog number. If requested by the School District, samples and/or product demonstration may also be required.
- 4. Right is reserved by the San Ramon Valley USD to reject any or all quotes or to separate items in the quote, unless the right is specifically denied by vendor.
- 5. The San Ramon Valley USD reserves the right to increase or decrease by ten (10%) per cent the quantities of any item(s) offered.
- 6. Quotation is to show net unit and net total prices after all trade and discounts have been deducted.
- 7. Vendors located outside of California are advised that Use Tax equal to the current State of California Sales Tax will be added to their quote for evaluation purposes if California Sales Tax is not computed into their quote and/or a certificate number authorizing collection of California State Sales Tax is not provided.
- 8. The School District reserves the right to make payment only upon completion of the entire order being delivered after purchase order award.
- 9. All equipment and/or materials referred to in this RFQ shall in all respects be in full compliance with all CAL/OSHA safety and health orders.
- 10. Unless otherwise indicated, prices quoted herein are considered FIRM and shall remain open and not be withdrawn for a period of sixty (60) days after the due date. A successful vendor shall not be relieved of the bid submitted without the District's consent or vendor's recourse to PCC sections 5100 et.seq.
- **11.** Successful bidder shall be required to furnish Certificate of Insurance and Endorsement naming the San Ramon Valley USD, its officers, officials, employees and agents as additional insured on all installation quotations. If insurance is required, it will be stipulated on the RFQ form or in the detailed specifications.
- 12. This Request for Quotation, when returned to the San Ramon Valley USD as an offer for material and/or services will constitute the full agreement between the District and Vendor if a purchase order is awarded. Any changes to the attached documents for proposal must be made at the time the bid is submitted. Any changes and/or amendments to this agreement presented after the successful vendor receives a purchase order will not be accepted. Unless the District includes a stipulation for a separate agreement to be executed, the District will not execute any other agreement in conjunction with this quotation request or the purchase order.

BID FORM

CONSIDERATION CANNOT BE GIVEN TO QUOTATIONS RECEIVED AFTER 3:00 PM and NO MINUTES,				RFQ# 643	
			JESDAY, SEPTEMBER 23, 2014		GE 1 OF 1
Conditior	n QTY	UNIT OF MEASURE	DESCRIPTION	UNIT PRICE \$	EXT AMOUNT \$
FURNISH	H AND DELIV		I IEW REFRIGERATED TRUCKS IN ACCORDANCE WITH ALL INSTRUCTIONS, TERI		
			IN THE GENERAL CONDITIONS AND BIDDER'S PROPOSAL SHEETS.		
			NO FAXED BIDS WILL BE ACCEPTED.		
		All	questions regarding this RFQ are to be directed to: <u>PURCHASING@SRVUSD.</u>	<u>NET</u>	
			with subject titled: RFQ# 643 Clarification Request,		
			no later than Thursday, September 11, 2014		
			Receipt of addenda number(s):		
India	cate above	the Add	endum number, if any, your firm received from the District after	er the bid wa	s received.
			All numbered addenda received must be acknowledged above		
				•	
			Please quote your best price for the following:		
BASED	BID				
Brand	4	EA	2014 or Newer REFRIGERATED Delivery Truck as per listed specifications	\$	\$
New					<u>_</u>
Terms: Na	30		TAX 8.5% (Contra Costa County)	\$	\$
Delivery D			ALL INCLUSIVE SHIPPING COST (specify)	Ś	Ś
Delivery [Date ARO:		ALL INCLUSIVE SHIPPING COST (specify)	\$	\$
Delivery [ALL INCLUSIVE SHIPPING COST (specify) TOTAL NET QUOTE INCLUDING TAX and SHIPPING	\$ \$	\$ \$
Delivery [-	-
Delivery [-	-
	Date ARO:	neidorod ir	TOTAL NET QUOTE INCLUDING TAX and SHIPPING	-	-
WARRAN	Date ARO: NTY will be co	nsidered ir		-	-
WARRAN Northern	Date ARO: NTY will be co n Bay Area.	nsidered ir	TOTAL NET QUOTE INCLUDING TAX and SHIPPING	-	-
WARRAN Northern 1. Truc	Date ARO: NTY will be cc n Bay Area. ck/Vehicle		TOTAL NET QUOTE INCLUDING TAX and SHIPPING	-	-
WARRAN Northern 1. Truc State	Date ARO: NTY will be co n Bay Area. ck/Vehicle te Warranty o	uoted:	TOTAL NET QUOTE INCLUDING TAX and SHIPPING bid evaluation. Specify location of warranty/service provider in yearsmiles	-	-
WARRAN Northern 1. Truc State State	Date ARO: NTY will be co n Bay Area. ck/Vehicle te Warranty o te Mfg:	quoted:	TOTAL NET QUOTE INCLUDING TAX and SHIPPING	-	-
WARRAN Northern 1. Truc Statu Statu Loca	Date ARO: NTY will be con bay Area. ck/Vehicle te Warranty of te Mfg: ation of Warr	uoted: anty/Servic	TOTAL NET QUOTE INCLUDING TAX and SHIPPING bid evaluation. Specify location of warranty/service provider inyearsmilesModel e Provider	-	-
WARRAN Northern 1. Truc Stat Stat Loca 2. Refr	Date ARO: NTY will be con bay Area. ck/Vehicle te Warranty of te Mfg: ation of Warr rigerated Ins	uoted: anty/Servic	TOTAL NET QUOTE INCLUDING TAX and SHIPPING bid evaluation. Specify location of warranty/service provider in years years miles me Provider	-	-
WARRAN Northern 1. Truc Stat Stat Loca 2. Refr Stat	Date ARO: NTY will be con bay Area. ck/Vehicle te Warranty of te Mfg: ation of Warr trigerated Ins te Warranty of	quoted: ranty/Servic ulated Box, quoted:	TOTAL NET QUOTE INCLUDING TAX and SHIPPING bid evaluation. Specify location of warranty/service provider in years years miles me Provider /Bodyyears	-	-
WARRAN Northern 1. Truc Stat Loca 2. Refr Stat Stat	Date ARO: NTY will be con bay Area. ck/Vehicle te Warranty of te Mfg: ation of Warr trigerated Ins te Warranty of te Mfg:	uoted: ranty/Servic ulated Box, uoted:	TOTAL NET QUOTE INCLUDING TAX and SHIPPING bid evaluation. Specify location of warranty/service provider in yearsmiles yearsmiles %Bodyyearsyearsyearsyears	-	-
WARRAN Northern 1. Truc Stat Loca 2. Refr Stat Stat	Date ARO: NTY will be con bay Area. ck/Vehicle te Warranty of te Mfg: ation of Warr trigerated Ins te Warranty of te Mfg:	uoted: ranty/Servic ulated Box, uoted:	TOTAL NET QUOTE INCLUDING TAX and SHIPPING bid evaluation. Specify location of warranty/service provider in years years miles me Provider /Bodyyears	-	-
WARRAN Northern 1. Truc Stat Loca 2. Refr Stat Loca	Date ARO: TY will be con bay Area. ck/Vehicle te Warranty of te Mfg: ation of Warr trigerated Ins te Warranty of te Mfg: ation of Warr	quoted: ranty/Servic ulated Box, quoted: ranty/Servic	TOTAL NET QUOTE INCLUDING TAX and SHIPPING bid evaluation. Specify location of warranty/service provider in yearsmiles yearsmiles %Bodyyearsyearsyearsyears	-	-
WARRAN Northern 1. Truc Stat Loca 2. Refr Stat Loca 3. Refr	Date ARO: NTY will be con bay Area. ck/Vehicle te Warranty of te Mfg: ation of Warr rigerated Ins te Warranty of te Mfg: ation of Warr ation of Warr	quoted: ranty/Servic ulated Box, quoted: ranty/Servic it	TOTAL NET QUOTE INCLUDING TAX and SHIPPING bid evaluation. Specify location of warranty/service provider inyearsmilesModel re ProviderModel	-	-
WARRAN Northern 1. Truc Stat Loca 2. Refr Stat Loca 3. Refr Stat	Date ARO: NTY will be con bay Area. ck/Vehicle te Warranty of te Mfg: ation of Warr rigerated Ins te Warranty of te Mfg: ation of Warr te Warranty of te Warranty of te Warranty of	quoted: ranty/Servic ulated Box, quoted: ranty/Servic nit quoted:	TOTAL NET QUOTE INCLUDING TAX and SHIPPING bid evaluation. Specify location of warranty/service provider inyearsmilesModel re Provider /BodyyearsModel re Provider	-	-
WARRAN Northern 1. Truc Stat Loca 2. Refr Stat Loca 3. Refr Stat Loca	Date ARO: NTY will be con bay Area. ck/Vehicle te Warranty of te Mfg: ation of Warr rigerated Ins te Warranty of te Mfg: ation of Warr te Warranty of te Warranty of	quoted: ranty/Servic ulated Box, quoted: ranty/Servic nit quoted:	TOTAL NET QUOTE INCLUDING TAX and SHIPPING bid evaluation. Specify location of warranty/service provider inyearsmilesModel re ProviderModel	-	-
WARRAN Northern 1. Truc Stat Loca 2. Refr Stat Loca 3. Refr Stat Loca	Date ARO: TY will be con Bay Area. ck/Vehicle te Warranty of te Mfg: ation of Warr rigerated Ins te Warranty of te Mfg: ation of Warr te Warranty of te Warranty of te Warranty of te Mfg: ation of Warr	quoted: ranty/Servic ulated Box, quoted: ranty/Servic nit quoted: ranty/Servic	TOTAL NET QUOTE INCLUDING TAX and SHIPPING bid evaluation. Specify location of warranty/service provider inyearsmilesModel /BodyyearsModelyearshours	-	-
WARRAN Northern 1. Truc Stat Stat Loca 2. Refr Stat Loca 3. Refr Stat Loca 4. Colu	Date ARO: ATY will be con bay Area. ck/Vehicle te Warranty of te Mfg: ation of Warr trigerated Ins te Warranty of te Mfg: ation of Warr te Warranty of te Mfg: ation of Warr te Mfg: ation of Warr tumn Lift War	quoted: anty/Servic ulated Box, juoted: ranty/Servic anty/Servic ranty/Servic	TOTAL NET QUOTE INCLUDING TAX and SHIPPING bid evaluation. Specify location of warranty/service provider in years miles work	-	-
WARRAN Northern 1. Truc State Loca 2. Refr State Loca 3. Refr State Loca 4. Colu	Date ARO: NTY will be con bay Area. ck/Vehicle te Warranty of te Mfg: ation of Warr trigerated Ins te Warranty of te Mfg: ation of Warr te Warranty of te Mfg: ation of Warr te Warranty of te Mfg: ation of Warr te Warranty of te Mfg: ation of Warr	quoted: anty/Servic ulated Box, quoted: anty/Servic anty/Servic ranty/Servic ranty quoted:	TOTAL NET QUOTE INCLUDING TAX and SHIPPING bid evaluation. Specify location of warranty/service provider in years miles years	-	-
WARRAN Northern 1. Truc State Loca 2. Refr State Loca 3. Refr State Loca 4. Colu State State Loca	Date ARO: NTY will be con bay Area. ck/Vehicle te Warranty of te Mfg: ation of Warr trigerated Ins te Warranty of te Mfg: ation of Warr te Warranty of te Mfg: ation of Warr te Warranty of te Mfg: ation of Warr	quoted: anty/Servic ulated Box, juoted: anty/Servic anty/Servic ranty quoted: quoted:	TOTAL NET QUOTE INCLUDING TAX and SHIPPING bid evaluation. Specify location of warranty/service provider in years miles years	-	-
WARRAN Northern 1. Truc State Loca 2. Refr State Loca 3. Refr State Loca 4. Colu State State Loca	Date ARO: NTY will be con bay Area. ck/Vehicle te Warranty of te Mfg: ation of Warr trigerated Ins te Warranty of te Mfg: ation of Warr te Warranty of te Mfg: ation of Warr te Warranty of te Mfg: ation of Warr	quoted: anty/Servic ulated Box, juoted: anty/Servic anty/Servic ranty quoted: quoted:	TOTAL NET QUOTE INCLUDING TAX and SHIPPING bid evaluation. Specify location of warranty/service provider in years miles years	-	-
WARRAN Northern 1. Truc Stati Loca 2. Refr Stati Loca 3. Refr Stati Loca 4. Colu Stati Stati Loca	Date ARO: NTY will be con bay Area. ck/Vehicle te Warranty of te Mfg: ation of Warr trigerated Ins te Warranty of te Mfg: ation of Warr trigeration Ur te Warranty of te Mfg: ation of Warr te Warranty of te Mfg: ation of Warr	quoted: ranty/Servic quoted: ranty/Servic nit quoted: ranty/Servic ranty quoted: ranty/Servic	TOTAL NET QUOTE INCLUDING TAX and SHIPPING bid evaluation. Specify location of warranty/service provider in years miles years	-	-

PRICING FOR OPTIONS: Quantity 4	Each	Extended
Additional warranty: Truck/Vehicle	\$	\$
State Warranty quoted: years miles		
Refrigerated Insulated Box/Body	\$	ć
State Warranty quoted: years	Ļ	Ļ
Refrigeration Unit		
State Warranty quoted: years hours	\$	\$
Column Lift Warranty		
State Warranty quoted: years		
State Mfg: Model		

Location of Warranty/Service Provider	
FINANCING All four (4) vehicles for the term of five (5) years: 60 equal payments of \$	
Total dollar value of payments \$ APR of% If this is tied to an index, you must provide the index and the spread on your supplemental information. Preference will be given to firm, fixed rates for the duration of this request and term.	
Rates firm for: calendar days from receipt of proposals by the District (due date) unless another date is otherwise specified. District highly prefers a minimum of 45 days due to the scheduling of our Board Meetings. Anticipated Board meeting date is October 7, 2014. Ability to hold rates will be a factor in selecting financing option.	

LIQUIDATED DAMAGES: Time shall be of the essence of this purchase. The District will enforce monetary deduction in the contract payments for poor performance due to "damages" of delayed delivery of the ordered vehicles. As it is difficult to ascertain the actual damage which the District will sustain in the event of any, by reason of such delay; and it is therefore agreed that said Contractor below will pay to the District the sum of one hundred eighty dollars (\$180.00) per day + tax/fees per vehicle or current cost of renting a similar vehicle within 30 miles of the District for each and every calendar days delay beyond the time herein prescribed in furnishing the said purchase as liquidated damages.

The Contractor shall not be charged with liquidated damages because of any delays in the completion of the purchase due to unforeseeable causes beyond his/her control and without default or negligence of the Contractor, including, but not restricted to acts of the public enemy, acts of the government, fire, flood, epidemics, and delays due to natural disaster. The Contractor shall within three (3) days from the beginning of any such delay notify the Purchasing Director in writing, of the causes of the delay, who shall, after ascertaining the facts and the extent of the delay extend the time for completion of the purchase, when in its judgment the finding of the facts and determination thereon shall be final and conclusive on the parties thereto.

The undersigned certifies that the above prices apply to the specified materials or services. The representatives made herein are made under penalty of perjury. No bid is valid unless submitted on this form and signed by authorized agent for your company.

Company Name	Signature	
	(AUTHORIZED AGENT)	
Phone # Email	Print Name	
Date	Title	

NOTE: If bidder is a corporation, the legal name of the corporation shall be set forth above, together with the signature of authorized officers or agents; if bidder is a partnership, the true name of the firm shall be set forth above, together with the signature of the partnership; and if bidder is an individual, his signature will be placed above.

SPECIFICATIONS, GENERAL

Bidder's Attention:

- 1. Equipment catalogued as standard shall be furnished and included in the purchase price of unit bid.
- 2. All vehicles shall comply with the State of California and Federal Industrial Safety Orders and Vehicle Codes.
- 3. In the event any vehicle offered does not fully comply with the San Ramon Valley Unified School District's specifications, the bidder shall state in writing at the time of the bid opening, wherein vehicle bid does not meet specifications.

NOTE: Exceptions to the bid specifications must be itemized and submitted along with the Bid Form in a separate page.

- 4. Vendor may supply all of one manufacturer's model, or a combination of models and brands.
- 5. Upon delivery, it shall be the Vendor's responsibility to provide any evidence necessary that the vehicles fully meet all the requirements of this specification.
- 6. A minimum warranty period of 36 months, or 36,000 miles, covering parts and labor, bumper to bumper, and "powertrain" is required from the seller. A warranty period of at least 5 years or 100,000 miles is preferred. Responses shall include extent of warranty coverage and applicable "deductibles" for extended warranties. Clearly state what is not included in the warranty.
- 7. District may accept or reject any or all portions from bid items.
- 8. Vendor will furnish technical data on all vehicles and equipment.
- 9. Vendor shall furnish four (4) sets of ALL ALIKE ignition and cab door keys with each vehicle (key alike); plus one owner's manual and <u>one set of service and repair manuals</u> and safety triangles.
- 10. Vendor shall include the District on any mailing lists that cover technical bulletins. All mail to be delivered to: Purchasing Department, 3280 Crow Canyon Road, San Ramon, CA 94583.
- 11. Vendor shall provide detailed written information on all pertinent aspects of equipment proposed, including powertrain and related systems performance data, capacities, dimensions and available options not called for in this request. Further, manufacturer's illustrations and brochures of proposed equipment shall be part of the bid response.
- 12. Bidder shall specify delivery date for equipment. Delivery time will be considered in bid evaluation.
- 13. The District will evaluate bids on costs, technical compatibility with specifications, operational needs, fleet uniformity, warranty coverage and delivery time. The District reserves the right to consider various factors to be in the best interest of the San Ramon Valley Unified School District. The District may elect to award bids to more than one vendor based on requirements placed by using department. The District reserves the right to reject any and all bid proposals, to contract work with whomever and in whatever manner the District decides, to abandon the purchase entirely and to waive any informality or non-substantive irregularity as the interest of the District may require.
- 14. The quoted prices are F.O.B. San Ramon Valley Unified School District, Purchasing Department, 3280 Crow Canyon Road, San Ramon, CA 94583.
- 15. Any discounts from the total net bid must be allowed for payment after the City's acceptance of the new unit or receipt of a correct invoice, whichever occurs later.
- 16. Exceptions to these specifications must be submitted in writing.
- 17. <u>REGISTRATION</u>: Initial registration and licensing will be done by the Vendor. The vendor shall furnish the original copy of the "Dealer's Report of Sale", temporary license, registration and completed application for California Exempt plates. The name and address on the "Dealer's Report of Sale" shall read:

San Ramon Valley Unified School District, 699 Old Orchard Drive, Danville, CA 94526

SCOPE

It is the intent of the District to purchase four (4) refrigerated delivery trucks. The following will list specifications for a delivery truck with eighteen footer (18') engine driven (NOT SELF-CONTAINED) insulated refrigerated van body box with not to exceed 26,000 GVWR. Delivery trucks will be delivering Child Nutrition meals and supplies to and from Service Center, Central Kitchen and all other various location of San Ramon Valley Unified School District.

DELIVERY

Please state your best delivery date on the bid form. Failure to deliver within the time specified may be grounds for considering the successful Bidder(s) as non-responsive. This may be grounds for termination of any existing contract(s) and/or order(s) and rejection of future bids on the basis that the Bidder(s) is not responsible. District may impose liquidated damages on failure to adhere to the stated delivery date.

SPECIFICATIONS

- Quantity = 4
- Federal and State Compliance

All vehicles furnished under this specification shall comply with the most current Federal Motor Vehicle Safety Standards, Federal Department of Health, Education and Welfare Control of Air Pollution from New Motor Vehicle Standards and the requirements of State of California.

PLEASE PLACE A CHECKMARK BESIDE EACH SPECIFICATION TO INDICATE THAT YOUR BID MEETS OR EXCEEDS THE SPECIFICATION. IF YOUR BID DOES NOT MEET THE SPECIFICATION, PLEASE LIST ANY EXCEPTION/S TO THE SPECIFICATION ON A SEPARATE SHEET.

SECTION 1 CATEGORY – Brand New Truck. MINIMUM REQUIREMENTS BELOW.	YES	NO
Year: 2014 or newer		
CLASS 6 (GVW 19501 – 26000)		
Air Cleaner: Heavy duty, dry type State type:		
Air Conditioning: unit shall be equipped with cab air conditioning		
Category: Box truck – straight truck, refrigerated		
Alarm: Automatic electric back-up alarm. Shift linkage activated		
Axle Front: Max 8,000 lbs capacity; HD shocks, leaf springs State Mfg Rated Capacity:# State Type:		
Axle Rear: Single Reduction type. Max rated capacity 17,500 lbs. Gear ratio to allow a top road speed of 65mph. State Mfg & Model #: State Mfg Rated Capacity:# State Ratio:		
Battery: Maintenance free, two (2) 12-volt, heavy duty (one for engine and one		

for lift gate); minimum rated capacity 1850 CCA:	
State Amp-Hour Rating:#	
EXTENDED BED HEIGHT(EB): Range to allow gate to be mounted on bed	
heights 50" ground to bed floor.	
Describe Offering:	
Brakes, Service and Parking	
Air brake system for straight truck applications.	
All blake system for straight fluck applications.	
Bumper, Front: Minimum ¼" steel, full width, heavy duty; aerodynamics	
State Offering:	
Cab: Conventional; Air conditioning; cruise control; cup holders; door	
pockets; adjustable driver's seat and air suspension with position	
adjustments; vinyl seat, heater/defroster; key plates, four (4) mirrors 1-flat	
and 1-convex on each side; overhead consoles; passenger vinyl seat bench	
type; seating capacity of 3; speakers; sun visors; electric ventilators;	
windshield; dual wipers with 2 speed intermittent; all-weather mat	
included	
State Offering:	
Cooling System: Horton or Kysor fan drive, radiator to have extra cooling	
capacity & shall be capable of maintaining a safe driving temperature in	
extremely hot weather. Anti-freeze to -40	
State Radiator Capacity:	
Driveline: Entire drive train including front axle, driveline and rear axle must	
have minimum three (3) year, 36,000 mile, 100% parts and labor warranty.	
Describe Offering:	
Electrical System: 12-volt with heavy-duty alternator with a minimum rating of 105 amp hours or wonder's suggested amp rating	
105 amp-hours or vendor's suggested amp rating.	
State Mrg & Model No. of alternator:	
State Amp-hour rating:	
Engine, Diesel, minimum 220 HP	
State gross HP @ rpm:	
State gloss in e ipinState cubic inch displacement:	
State cubic inclinicipacement:State minimum torque: ft/lbs @ rpm:	
State type emission control devices:	
State mfg & model #:	
Engine Warranty: warranty shall be for five (5) years with unlimited miles	
with 100% parts and labor provided. Warranty to be provided with each	
unit at time of delivery.	
State Warranty:	

Exterior Mirrors: two (2) 16" x 7" heated west coast type, with brackets		
Describe Offering:		
Fuel Tank: 50 gallon tank.		
State capacity:		
Horn: electric horns.		
Heaters and Defrosters: cab heater and defroster to be provided		
Shock Absorbers: heavy duty double acting type, front and rear		
Steering: integral heavy duty power type, telescoping, tilting		
Tires: 11R22.5 14 ply steel-belted radial tires	+ +	
State make & type of tires:		
Transmission: 6 speed automatic with double overdrive, Allison HS series.		
Transmission shall have a minimum three (3) year, unlimited mileage, 100%		
parts and labor coverage warranty. Warranty for transmission shall be		
included with unit at time of delivery.		
State transmission mfg & model #:		
State type:		
Wheelbase: must accommodate 18' 10" outside dimension insulated cargo		
box.		
State wheelbase:		
Wheels: 8.25 x 22.5 hub piloted 10-stud steel		
State Offering:		
Windshield Wipers: two (2) intermittent electrical windshield washers to		
be provided.		
Miscellaneous Equipment Installed:		
Units shall be equipped with front and rear mud flaps		
Units shall have AM/FM radio with speakers		
Back-up color camera with side and back view and cab monitor		
Power windows	++	
Service ramp or catwalk over the cab		

	REQUIREMENTS		ted refrigerated		YES	NO
	ICATIONS:					
ength 18'; ainless stere equently o	Height 91"; Wi eel 6' carts. T	dth 102" OD; emperature to and unload cart	Transporting Ch be maintained ts for school site	a protective coating; ild Nutrition meals on @ 35 °F; doors are es. Interior LED lights. uent.		
	rior, white. Inter ard available col		e selected at tir	me of award from		
State In	nterior Color:					
operatio	n: ALUMINUM S					
			or with kazoo di	rains front and rear;		
slip resis		nu plate nat nu				
Cargo Co	ontrol: one (1) row	v at 43" from flo	or Cargo troll for	"D" ring hooks		
-	inning length of sid		-			
Grab Ha	ndles: for easy acc	cess to the servic	e platform.			
Walls m	ust repel moisture	and easy to clea	n.			
-	/8" aluminum 24"	front and sides.				
Interior	Lights: LED					
Interior						
Interior Safety St ECTION 3 (Lights: LED witch: roll-up door	r safety release Ind new refrige	eration unit.		YES	NO
Interior Safety St ECTION 3 (IINIMUM	Lights: LED witch: roll-up door CATEGORY – Bra REQUIREMENTS	r safety release and new refrige BELOW.			YES	NO
Interior Safety So ECTION 3 (IINIMUM EFRIGERAT otential; d	Lights: LED witch: roll-up door CATEGORY – Bra REQUIREMENTS TION UNIT: Rec	r safety release Ind new refrige BELOW. iprocating con	npressors; zero	ozone depletion ranty 2 yrs major	YES	NO
Interior Safety So ECTION 3 (IINIMUM EFRIGERAT otential; d	Lights: LED witch: roll-up door CATEGORY – Bra REQUIREMENTS TION UNIT: Rec digital readout c /1 yr basic	r safety release and new refrige BELOW. iprocating con cab command;	npressors; zero minimum warr	-	YES	NO
Interior Safety So ECTION 3 (MINIMUM EFRIGERAT otential; d	Lights: LED witch: roll-up door CATEGORY – Bra REQUIREMENTS TION UNIT: Rec digital readout of /1 yr basic Evaporator Return	r safety release BELOW. iprocating con cab command; Engine Ope	npressors; zero	-	YES	NO
Interior Safety So ECTION 3 (IINIMUM EFRIGERAT otential; d	Lights: LED witch: roll-up door CATEGORY – Bra REQUIREMENTS TION UNIT: Rec digital readout of /1 yr basic	r safety release BELOW. iprocating con cab command; Engine	npressors; zero minimum warr e/Diesel	-	YES	NO
Interior Safety So ECTION 3 (MINIMUM EFRIGERAT otential; d	Lights: LED witch: roll-up door CATEGORY – Bra REQUIREMENTS TION UNIT: Rec digital readout of /1 yr basic Evaporator Return Air Temp 35 °F	r safety release BELOW. iprocating con cab command; Engine Ope	npressors; zero minimum warr e/Diesel ration	-	YES	NO
Interior Safety So ECTION 3 (IINIMUM EFRIGERAT otential; d	Lights: LED witch: roll-up door CATEGORY – Bra REQUIREMENTS TION UNIT: Rec digital readout of /1 yr basic Evaporator Return Air Temp 35 °F 0 °F	r safety release BELOW. iprocating con cab command; Engine Ope BTU/hr 14,500 8,500	Pressors; zero minimum warr P/Diesel ration Watts 4250 2490	-	YES	NO
Interior Safety So ECTION 3 (MINIMUM EFRIGERAT otential; d	Lights: LED witch: roll-up door CATEGORY – Bra REQUIREMENTS TION UNIT: Rec digital readout of /1 yr basic Evaporator Return Air Temp 35 °F	r safety release DELOW. iprocating con cab command; Engine Ope BTU/hr 14,500	npressors; zero minimum warr e/Diesel ration Watts 4250	-	YES	NO
Interior Safety So ECTION 3 (MINIMUM EFRIGERAT otential; d	Lights: LED witch: roll-up door CATEGORY – Bra REQUIREMENTS TION UNIT: Rec digital readout of /1 yr basic Evaporator Return Air Temp 35 °F 0 °F -20°F	r safety release BELOW. iprocating con cab command; Engine Ope BTU/hr 14,500 8,500	Pressors; zero minimum warr P/Diesel ration Watts 4250 2490	-	YES	NO
Interior Safety So ECTION 3 (INIMUM EFRIGERAT otential; d omponent,	Lights: LED witch: roll-up door CATEGORY – Bra REQUIREMENTS TION UNIT: Rec digital readout of /1 yr basic Evaporator Return Air Temp 35 °F 0 °F -20°F	r safety release BELOW. iprocating con cab command; Engine Ope BTU/hr 14,500 8,500	Pressors; zero minimum warr P/Diesel ration Watts 4250 2490	-	YES	NO
Interior Safety So ECTION 3 (INIMUM EFRIGERAT otential; d omponent,	Lights: LED witch: roll-up door CATEGORY – Bra REQUIREMENTS TION UNIT: Rec digital readout of /1 yr basic Evaporator Return Air Temp 35 °F 0 °F -20°F e Brand	r safety release BELOW. iprocating con cab command; Engine Ope BTU/hr 14,500 8,500	Pressors; zero minimum warr P/Diesel ration Watts 4250 2490	-	YES	NO
Interior Safety So ECTION 3 (INIMUM EFRIGERAT otential; d omponent,	Lights: LED witch: roll-up door CATEGORY – Bra REQUIREMENTS TION UNIT: Rec digital readout of /1 yr basic Evaporator Return Air Temp 35 °F 0 °F -20°F e Brand	r safety release BELOW. iprocating con cab command; Engine Ope BTU/hr 14,500 8,500	Pressors; zero minimum warr P/Diesel ration Watts 4250 2490	-	YES	NO
Interior Safety So ECTION 3 (INIMUM EFRIGERAT otential; d omponent,	Lights: LED witch: roll-up door CATEGORY – Bra REQUIREMENTS TION UNIT: Rec digital readout of /1 yr basic Evaporator Return Air Temp 35 °F 0 °F -20°F e Brand	r safety release BELOW. iprocating con cab command; Engine Ope BTU/hr 14,500 8,500	Pressors; zero minimum warr P/Diesel ration Watts 4250 2490	-	YES	NO
Interior Safety So ECTION 3 (INIMUM EFRIGERAT otential; d omponent, Describe Offering	Lights: LED witch: roll-up door CATEGORY – Bra REQUIREMENTS TION UNIT: Rec digital readout of /1 yr basic Evaporator Return Air Temp 35 °F 0 °F -20°F e Brand	r safety release ind new refrige BELOW. iprocating con ab command; Engine Ope BTU/hr 14,500 8,500 5,000	hpressors; zero minimum warr 2/Diesel ration 4250 2490 1465	ranty 2 yrs major	YES	NO
Interior Safety So ECTION 3 (/INIMUM EFRIGERAT otential; d omponent, Describe Offering	Lights: LED witch: roll-up door CATEGORY – Bra REQUIREMENTS TION UNIT: Rec digital readout of /1 yr basic Evaporator Return Air Temp 35 °F 0 °F -20°F e Brand g:	r safety release ind new refrige BELOW. iprocating con ab command; Engine Ope BTU/hr 14,500 8,500 5,000	hpressors; zero minimum warr 2/Diesel ration 4250 2490 1465	ranty 2 yrs major	YES	NO
Interior Safety So ECTION 3 (/INIMUM EFRIGERAT otential; d omponent, Describe Offering	Lights: LED witch: roll-up door CATEGORY – Bra REQUIREMENTS TION UNIT: Rec digital readout of /1 yr basic Evaporator Return Air Temp 35 °F 0 °F -20°F e Brand g:	r safety release ind new refrige BELOW. iprocating con ab command; Engine Ope BTU/hr 14,500 8,500 5,000	hpressors; zero minimum warr 2/Diesel ration 4250 2490 1465	ranty 2 yrs major	YES	NO

	CTION 4 CATEGORY – Brand new aluminum column lift gate. NIMUM REQUIREMENTS BELOW.		YES	NO
Co unt	lumn Lift Gate: Aluminum anti skid, auto open and close, auto folding folding; hydraulic system; capacity 3500 -6,600 lbs; overall platform 86" wic ' length with cart stops. Describe Offering:			
mo	NTROL: Operator must be able to control from ground and bed level. unted power shut-off to allow operator to shut-off power to rail gate con atrol switch(s) to prevent unauthorized use of the rail gate. Describe Offering:			
W	ARRANTY			
1.	Unit shall be covered by warranty of the supplier which will provide for replacement of parts, components or assemblies which may fail prior to 50,000 miles or 60 months, whichever shall occur first, provided that failure is not the result of misuse on the part of the purchaser. Include copy of warranty.			
2.	Units or components having a warranty which exceeds the manufacturer's warranty, in either mileage or time, shall be identified and the purchaser informed of the warranty conditions and duration.			
3.	Warranty shall include replacement of material and coverage of			
	labor necessary to effect replacement and/or repairs.			
4.	Failed parts or units that come under the warranty provisions will be repaired at the supplier's shop. Work necessary to meet specifications after delivery shall be done at supplier's expense.			
5.	If repaired by the supplier, cost of transporting vehicles between the school district's yard and the place of repair designated by the supplier shall be borne by the supplier. Repairs to be performed in the San Ramon and surrounding bay area.			
6.	Parts must be readily available and procurable by identity through standar part numbers.	d factory		
7.	Operating manuals, service manuals, parts and shop manuals, wiring diagram chart, body repair manual and engine repair manuals or available on CD ROM, shall be furnished at during vehicle is delivery.			

ACKNOWLEDGMENT OF ADDENDA

Failure to execute the following may be considered as an irregularity in the bid. Receipt of the following addenda issued during the time of bidding is acknowledged, and the information contained therein has been considered in the preparation of this bid:

[] None	[] No. 3
[] No. 1	[] No. 4
[] No. 2	[] No. 5

(Check Appropriate Space(s) for Addenda Received)

Warning

If an addendum or addenda have been issued by the District and not noted above as being received by the bidder, this Proposal may be rejected.